

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 April 2004 (01.04.2004)

PCT

(10) International Publication Number
WO 2004/026845 A1

(51) International Patent Classification⁷: **C07D 253/06**,
C07C 281/16

(21) International Application Number:
PCT/HU2003/000072

(22) International Filing Date:
18 September 2003 (18.09.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
P 0203114 20 September 2002 (20.09.2002) HU

(71) Applicant (for all designated States except US):
RICHTER GEDEON VEGYÉSZETI GYÁR RT.
[HU/HU]; Gyömrői ut 19-21, H-1103 Budapest (HU).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **NEU, József**
[HU/HU]; Muskáti u. 4, H-8200 Veszprém (HU).
GIZUR, Tibor [HU/HU]; Avarszállás u. 38, H-1162 Bu-
dapest (HU). **TÖRLEY, József** [HU/HU]; Katona József
u. 41, H-1137 Budapest (HU). **CSABAI, János** [HU/HU];
Harmat u. 136, H-1104 Budapest (HU). **VÉGH, Ferenc**
[HU/HU]; Ferenczi B. u. 3, H-2500 Esztergom (HU).
KÁLVIN, Péter [HU/HU]; Eperjesi u. 4/A, H-2509 Es-
ztergom-Kertváros (HU). **TÁRKÁNYI, Gábor** [HU/HU];
Patkó u. 15, H-2040 Budaörs (HU).

(74) Common Representative: **RICHTER GEDEON VEG-
YÉSZETI GYÁR RT.**; Gyömrői út 19-21, H-1103 Bu-
dapest (HU).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC,
SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:


— as to applicant's entitlement to apply for and be granted
a patent (Rule 4.17(ii)) for the following designations AE,
AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA,
CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES,
FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH,
PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN,
TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO
patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG,
ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU,
TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE,
DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT,
RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: NEW PROCESS FOR THE SYNTHESIS OF HIGH PURITY 3,5-DIAMINO-6-(2, 3-DICHLOROPHENYL)-1,2,4-
TRIAZINE



(57) Abstract: The present invention relates to a new process for the synthesis of high purity 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine of formula (I) using 2,3-dichlorobenzoyl cyanide and an aminoguanidine salt as starting materials. 2,3-dichlorobenzoyl cyanide is reacted with 1-2 mol equivalent of aminoguanidine salt in 3-6 mol equivalent of methanesulfonic acid, then the obtained adduct of formula (IV) is transformed without isolation into the product with magnesium oxide. In given case the obtained crude product can be recrystallized from a proper organic solvent.

**NEW PROCESS FOR THE SYNTHESIS OF HIGH PURITY 3,5-
DIAMINO-6-(2,3-DICHLOROPHENYL)-1,2,4-TRIAZINE**

The present invention relates to a new process for the synthesis of high
5 purity 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine of formula (I).

It is well known, that 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine,
also known as lamotrigine, is the active ingredient of several pharmaceutical
compositions used for the treatment of different diseases of the central nervous
system (*e.g.* epilepsy).

10 The synthesis of substituted 3,5-diamino-1,2,4-triazine derivatives is
known from the literature. In the following publications the general synthesis of
substituted derivatives is described – Agr. Res. Serv. 3 188 (1966) and J. Med.
Chem. 8 859 (1972) – according to which benzoyl cyanide is reacted with
aminoguanidine in acidic medium and the so obtained adduct is cyclized under
15 basic conditions. According to the process described in the European Patent No.
21121 – analogously to the method described above – 2,3-dichlorobenzoyl
cyanide is reacted with the hydrogencarbonate salt of aminoguanidine in dimethyl
sulfoxide as solvent, in the presence of 8 N nitric acid for 7 days. The obtained
adduct is cyclized with methanolic potassium hydroxide solution to the final
20 product in 15 % yield – calculated on the starting material. Basically similar
process is described in the European Patent No. 142306. The disadvantages of the
above processes are the extremely aggressive reaction medium, the long reaction
time as well as the very low yield.

The European Patent No. 247842 describes a process in which 8 M
25 solution of sulfuric acid is used instead of 8 N nitric acid in the condensation
reaction, and the reaction time is 48 h. The cyclization reaction is carried out in *n*-
propanol at reflux temperature. The yield is 41 %. The disadvantages of this
process are the low yield and the aggressive reaction medium.

Basically similar process is described in the United States Patent No.
30 6111101, in which the condensation is carried out in a mixture of diluted sulfuric

acid and acetonitrile for 60 h, then the cyclization is carried out with 1 % aqueous potassium hydroxide solution. The yield is 44 %. The crude product is purified by recrystallization from methanol with the help of clarifier. The disadvantages of the process are the aggressive medium, the low yield and the very long reaction time.

5 The modification of the above process is described in the European Patent No. 963980, in which the cyclization reaction is carried out in n-propanol at reflux temperature. The yield is 60 %. The product is purified by recrystallization from n-propanol. The disadvantages of this process are also the long reaction time and the aggressive reaction medium.

10 According to the International Patent Application No. WO96/20934 an intermediate, which is prepared with great difficulty, is converted into lamotrigine by cyclizing in a photochemical reactor in 80 % yield. The disadvantage of the process is that it can not be applied on industrial scale.

15 The International Patent Application No. WO96/20935 describes a six-step synthesis, which is difficult to carry out and hardly realizable on industrial scale, as well as the yield of the final product is very low. The disadvantages of the process are the complicated synthesis, the applied hazardous reagents and the low yield.

20 It is apparent from the above mentioned facts, that according to the known processes the lamotrigine and the intermediate adduct can only be synthesized in low yield using aggressive reagents and long reaction time. Our aim was to elaborate an industrially applicable process, in which simple industrial operations are used and high purity lamotrigine can be synthesized in good yield, economically, applying short reaction times, without using hazardous reagents.

25 Surprisingly it was found, that on one hand the transformation of 2,3-dichlorobenzoyl cyanide of formula (II) into the adduct of formula (IV) can be carried out in one hour using methanesulfonic acid as acidic medium and the yield of the adduct of formula (IV) is almost quantitative, therefore the use of large quantity of mineral acid is not necessary, on the other hand the reaction can be
30 carried out in almost quantitative yield by applying the new dimesylate salt of aminoguanidine of formula (III). It was found furthermore, that the yield can be

increased by using magnesium oxide as base in the cyclization reaction without lengthening the reaction time, and the formation of by-products can also be avoided. In the known procedures either strong base was applied, consequently the product always contained hydrolyzed by-product. (e.g. the product synthesized according to the process of the European Patent No. 963980), or base was not
5 used at all and therefore the cyclization reaction was not complete. The use of magnesium oxide eliminated all these difficulties.

During the elaboration of the recrystallization step it was found, that using acetone as solvent the product can be obtained in more than 99.9 % purity and in
10 70 % yield.

Therefore the object of the invention is a new process for the synthesis of high purity 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine of formula (I), using 2,3-dichlorobenzoyl cyanide as starting material and reacting it with the new dimesylate salt of aminoguanidine of formula (III) in the presence of
15 methanesulfonic acid, then transforming the obtained adduct of formula (IV) without isolation into lamotrigine with magnesium oxide. In given case the so obtained crude lamotrigine is recrystallized from acetone using charcoal as clarifier.

The process of this invention has several advantages in contrast to the known procedures. The main advantage of the process of this invention is the
20 production of high purity final product in almost quantitative yield. Further advantages of this process are the elimination of aggressive, hazardous reagents and the short reaction time compared to the known procedures. Considerable advantage of this process is furthermore that it does not require complicated industrial equipment of expensive structural material.
25

According to this invention the adduct formation reaction is carried out at 30-100 °C, in 3-6 mol equivalent of methanesulfonic acid using 1-2 mol equivalent of aminoguanidine salt (both calculated on 2,3-dichlorobenzoyl cyanide starting material). The cyclization reaction is carried out without isolation
30 of the adduct at 50-80 °C in the presence of 2-5 mol equivalent of magnesium

oxide. The crude product can be recrystallized from a proper organic solvent using charcoal as clarifier.

According to this invention the adduct formation reaction can preferably be carried out at 70 °C, in the presence of 4.2 mol equivalent of methanesulfonic acid, using 1.3 mol equivalent of dimesylate salt of aminoguanidine and acetonitrile as cosolvent and the reaction time is one hour. The product is reacted with an aqueous suspension of 3.75 mol equivalent of magnesium oxide without isolation, preferably at 70 °C for 4 h. The hot magnesium salt is filtered off, and the filtrate is concentrated by distillation. The separated product is filtered off. The yield of the crude lamotrigine is 90-95 %, calculated on 2,3-dichlorobenzoyl cyanide.

In given case the crude product is recrystallized from acetone using charcoal as clarifier to obtain high purity 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine, the total amount of impurities of which is less than 0.1 %.

The invention is illustrated by the following non-limiting examples.

Example 1

Aminoguanidine dimesylate

13.61 g (0.1 mol) of aminoguanidine bicarbonate is suspended in 36 ml of methanol at 20-22 °C in a 250 ml round bottom flask, equipped with a magnetic stirrer, a thermometer, a reflux condenser and a dropping funnel. 21.14 g (0.22 mol) of methanesulfonic acid is added dropwise to the suspension over a period of 1.5 h, while the temperature of the reaction is allowed to rise to 40-45 °C. After the addition the obtained solution is stirred at 65-70 °C for 15 min, then cooled to (-3)-(-5) °C and stirred at this temperature for 1 h. The precipitated crystals are filtered off and washed with 6.8 ml of methanol of (-3)-(-5) °C.

The obtained crystalline material is dried in a vacuum oven at 45-50 °C and 6-10 kPa to give 23.46 g (88.10 %) of the title compound as white crystals. Melting point: 147.5 °C.


Example 2**3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine**

A suspension of 24.0 g of methanesulfonic acid and 21.0 g (0.079 mol) of aminoguanidine dimesylate is warmed to 65-70 °C in a 500 ml round bottom flask, equipped with a stirrer, a thermometer and a dropping funnel. The mixture becomes homogenous after 15 min, then a solution of 12.0 g (0.06 mol) of 2,3-dichlorobenzoyl cyanide in 10 ml of acetonitrile is added dropwise. The obtained mixture is stirred at 65-70 °C for 1 h. A mixture of 9 g (0.223 mol) of magnesium oxide and 60 ml of water is stirred for 5 min and the obtained suspension is added to the reaction mixture over a period of 10 min.


The temperature of the reaction mixture is raised to 70 °C and kept at this temperature for 3 h. The hot reaction mixture is filtered, 90 ml of water is added to the filtrate and concentrated. 60 ml of water is added to the residue, the suspension is stirred at 0-5 °C, then filtered off. The product is washed with water and dried at 60-70 °C to yield 14.3 g (93.1 %) of the crude title compound. Melting point: 212-216 °C.

Example 3**Crystallization of 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine**


10 g of 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine is dissolved in 400 ml of acetone at reflux temperature, then 0.5 g of charcoal is added and the mixture is refluxed for 5 min. The clarifier is filtered off and the filtrate is cooled to 0-5 °C. The precipitated crystals are filtered off and dried at 90 °C in vacuum to yield 7.0 g (70 %) of the product. Melting point: 215-219 °C.




I



II



III



IV

Claims

1. Process for the synthesis of 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine
5 of formula (I) using 2,3-dichlorobenzoyl cyanide and an aminoguanidine salt
as starting materials characterized by reacting the 2,3-benzoyl cyanide of
formula (II) with 1-2 mol equivalent of aminoguanidine salt in 3-6 mol
equivalent of methanesulfonic acid, then transforming the obtained adduct of
formula (IV) without isolation into the product with magnesium oxide, and in
10 given case recrystallizing the so obtained crude product from a proper organic
solvent.
2. The process according to claim 1, characterized by using the dimesylate salt of
aminoguanidine of formula (III) as aminoguanidine salt.
3. The process according to claim 2, characterized by using 1.3 mol equivalent of
15 aminoguanidine dimesylate of formula (III).
4. The process according to claim 1, characterized by using 4.2 mol equivalent of
methanesulfonic acid.
5. The process according to claim 1, characterized by carrying out the cyclization
reaction in the presence of 2-4 mol equivalent of magnesium oxide.
- 20 6. The process according to claim 5, characterized by using 3.75 mol equivalent
of magnesium oxide in the cyclization reaction.
7. The process according to claim 1, characterized by using acetone for the
recrystallization.
8. Aminoguanidine dimesylate of formula (III).

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/IN 03/00072

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 C07D253/06 C07C281/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC 7 C07D C07C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, CHEM ABS Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
E	WO 03 078407 A (CHE DAQING ;BRANTFORD CHEM INC (CA); GUNTOORI BHASKAR REDDY (CA);) 25 September 2003 (2003-09-25) see scheme 2 page 4, line 13 -page 6, line 4 see procedures I and III page 7 -page 8	8
A	WO 01 49669 A (RPG LIFE SCIENCES LTD ;SRIVASTAVA ANITA RANJAN (IN); RADHAKRISHNAN) 12 July 2001 (2001-07-12) page 17, line 22 -page 18, line 10	1-8
A	EP 0 247 892 A (WELLCOME FOUND) 2 December 1987 (1987-12-02) cited in the application example 2 column 2, line 20 - line 38	1-8

-/--



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

15 December 2003

Date of mailing of the international search report

22/12/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Schmid, J-C

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/WO 03/00072

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 963 980 A (WELLCOME FOUND) 15 December 1999 (1999-12-15) cited in the application page 8, line 10-24 -----	1-8

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/HU 03/00072

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 03078407	A	25-09-2003	CA 2366521 A1 WO 03078407 A1 US 6586593 B1	24-06-2003 25-09-2003 01-07-2003
WO 0149669	A	12-07-2001	WO 0149669 A1 AU 763244 B2 AU 4428800 A BR 0016980 A DE 10085384 T0 GB 2372988 A US 6639072 B1	12-07-2001 17-07-2003 16-07-2001 01-10-2002 12-12-2002 11-09-2002 28-10-2003
EP 0247892	A	02-12-1987	AT 62902 T AU 597982 B2 AU 7368487 A CA 1286670 C DE 3769516 D1 DK 275987 A ,B, EP 0247892 A1 FI 872406 A ,B, GR 3001942 T3 HU 45978 A2 IE 60626 B1 IL 82710 A JP 2015195 C JP 7051571 B JP 62289570 A KR 9102254 B1 NZ 220497 A US 4847249 A ZA 8703896 A	15-05-1991 14-06-1990 03-12-1987 23-07-1991 29-05-1991 01-12-1987 02-12-1987 01-12-1987 23-11-1992 28-09-1988 27-07-1994 15-01-1992 02-02-1996 05-06-1995 16-12-1987 08-04-1991 28-05-1990 11-07-1989 25-01-1989
EP 0963980	A	15-12-1999	AT 218552 T AU 2031999 A BR 9900984 A CN 1306210 A CN 1238454 A DE 69901656 D1 DE 69901656 T2 DK 963980 T3 EA 666 B1 EP 1170588 A1 EP 0963980 A2 ES 2178342 T3 HR 990074 A1 HU 9900592 A2 JP 2989189 B2 JP 2000009714 A KR 2000005611 A NO 991151 A NO 20032753 A NZ 334590 A PL 331870 A1 PT 963980 T SG 85628 A1 SI 963980 T1 TR 9900520 A2 US 6333198 B1	15-06-2002 06-01-2000 02-05-2000 01-08-2001 15-12-1999 11-07-2002 30-01-2003 16-09-2002 28-02-2000 09-01-2002 15-12-1999 16-12-2002 31-10-2000 28-04-2000 13-12-1999 14-01-2000 25-01-2000 13-12-1999 13-12-1999 28-07-2000 20-12-1999 31-10-2002 15-01-2002 31-12-2002 21-01-2000 25-12-2001

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/JP 03/00072

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0963980	A	ZA 9901951 A	16-08-1999